


1 kg



COMPOSITION

25% Metalaxyl (250 g/kg) by weight.
Wettable Powder (WP).

AUTHORISED APPLICATIONS

Preventive and curative fungicide treatments on crops such as:

Broccoli, cauliflower, potato, cabbage, grapevine and carrot: against mildew.

Orange tree, pomelo, grapefruit, and strawberry beds: against phytophthora.

Tobacco: against blue mould.

DOSE

Apply in a normal spray at 0.08-0.12% (80-120 g/100 l).

Citrus trees and strawberry beds apply using a drip irrigation system at a dose of 1.5 kg/ha.

Strawberry beds, apply in spring and autumn using a drip irrigation system, completing 3 applications at intervals of 14-21 days.

Orange tree, pomelo tree and grapefruit tree, apply in spring and autumn using a drip irrigation system, completing 3 applications at intervals of 14-21 days. Irrigation can also be applied beforehand in the drip area at a dose of 4-8 g/m².

SAFETY DEADLINE

Broccoli, cauliflower, cabbage, carrot, orange, pomelo, grapefruit, potato, tobacco and grapevine: 21 days. **Wine grapevine:** 28 days. **Strawberry beds:** 14 days.

CLASSIFICATION OF HAZARDS



REGISTRY NUMBER

25.330

