


CARGOLUQ 5 PLUS



COMPOSITION

Metaldehyde 5% w/w (50 g/kg) (with added colouring).
Granulated bait (GB).

USES

CARGOLUQ 5 PLUS is a molluscicide bait in granule form, based on metaldehyde, for the control of slugs and snails; it acts through contact and ingestion. The animal immediately stops feeding, begins to produce large amounts of mucus, becomes dehydrated and dies.

USES, APPROVED DOSES AND INSTRUCTIONS FOR USE

Treatment: molluscicide applied mechanically (outdoors) and manually (outdoors and in greenhouses). Spread the product on the ground in small piles or rows between the seed rows at the points to be protected. Apply after transplanting or sowing, or as soon as damage to the plants is observed. It is advisable to keep the soil moist to encourage greater activity against these parasites. In the event of a severe or prolonged outbreak, it may be necessary to repeat the treatment after 7–10 days, up to a maximum of two applications.

USE	AGENT	DOSAGE	NO. OF APPLICATIONS	INTERVALS	SPEC. CONDITIONS
Ornamental shrubs and small trees, conifers, deciduous trees, ornamental herbaceous plants, palms	Slugs and snails	5–7 kg/ha	Max. 2	7-10 days	For use outdoors and in greenhouses.
Oats, barley, rye, wheat and triticale.	Slugs and snails	7 kg/ha	Max. 2	7 days	For outdoor use. Apply the product from sowing until BBCH 29.
Aubergine, tomato	Slugs and snails	7 kg/ha	Max. 2	7 days	For use in a greenhouse. Apply from BBCH 00 to BBCH 41.
Baby leaf vegetables (including Brassica species), mustard, white mustard	Slugs and snails	7 kg/ha	Max. 2	7 days	Apply the product outdoors from BBCH 00 to BBCH 19.
Lettuce and similar vegetables, and rocket.	Slugs and snails	7 kg/ha	Max. 2	7 days	Apply the product outdoors from BBCH 00 to BBCH 19. Apply the product in greenhouses from BBCH 00 to BBCH 41
Lawns	Slugs and snails	7 kg/ha	Max. 2	7 days	For outdoor use. Apply the product from sowing until BBCH 99.
Citrus fruits, nut trees, stone fruits, pome fruits.	Slugs and snails	7 kg/ha	Max. 2	7 days	For outdoor use. Apply the product from BBCH 00 to BBCH 69.
Swede, turnip, sugar beet, table beet, fodder beet.	Slugs and snails	7 kg/ha	Max. 2	7 days	For outdoor use. Apply the product from sowing until BBCH 15.
Strawberry bed	Slugs and snails	7 kg/ha	Max. 2	7 days	Apply the product from sowing until BBCH 69.
Tobacco	Slugs, Snails	5-7 kg/ha	Max. 2	7 days	For outdoor use. Apply the product from sowing or transplanting until there are 9 or more visible side shoots (BBCH 29).

PRE-HARVEST INTERVAL

No pre-harvest interval is required.

PRECAUTIONS FOR USE

The preparation shall not be used in combination with other products. This product is dangerous for dogs and other pets. Take care to ensure that the product does not come into contact with cultivated plants. Do not apply the product directly to the harvested parts of the plants. When using this product on fruit crops, adopt practices that prevent the fruit from coming into contact with the product and the ground. Do not pick fruit that has been in contact with the ground.

HAZARD CLASSIFICATION



100 LUQSA

REGISTRY NUMBER

22,870