

LUQSAFER

Suitable for organic production



COMPOSITION

6% w/w Water-soluble Iron (Fe) chelated with EDDHA

4% w/w Iron (Fe), ortho-ortho EDDHA

The pH range within which good stability of the chelated fraction is guaranteed is: 4–9.

USES

A treatment for iron deficiency in all types of fruit trees, citrus trees, hazelnut trees, subtropical plants, vines and vine trellises, vegetables, ornamental plants and field crops.

DOSAGE AND METHOD OF USE

LUQSAFER is used diluted with water in any of the following systems: fertigation, via a localised soil applicator, injected into the soil or via trenches dug around the tree.

With flood irrigation, it does not need to be dissolved beforehand. Given its complete solubility, it is particularly suitable for use in drip irrigation systems.

LUQSAFER should be used at the times and in the total doses specified in the table.

CROPS		SOIL APPLICATION RATE	DRIP IRRIGATION
Fruit trees, citrus trees, hazelnut trees and subtropical trees	Seedlings	3–15 g per tree	3–10 g per tree
	Small trees	15–25 g per tree	10–15 g per tree
	Medium-sized trees	30–50 g per tree	20–35 g per tree
	Fully grown trees or trees showing severe chlorosis	50–100 g per tree	40–65 g per tree
	Period	From the start of budding and throughout the growing cycle	
Vines	Young vines	3–5 g per vine	2–4 g per vine
	Bearing vines	5–10 g per vine	3–7 g per vine
	Trellised vines	15–25 g per vine	10–15 g per vine
	Period	Before bud break and during the growing season	
Nurseries	-	1–3 g per tree or 3–5 g per m ²	0.5–2 g per tree or 2–4 g per m ²
	Period	Throughout the growing season	
Horticultural crops and ornamentals	-	1–5 g/m ²	0.5–4 g/m ²
	Period	After planting	
Extensive crops	-	3–5 kg/ha	-

* It is recommended that these total doses be divided into 2 or 3 applications.

PRECAUTIONS FOR USE

Wash thoroughly with soap and water after handling.

Although it can be mixed with any type of fertiliser, it is advisable to check that the properties of both products are compatible.

To help the product penetrate down to the root level, we recommend watering the area after application.

For further information, please contact our Agricultural Technical Department.



Fertiliser authorised for use in organic production in accordance with Regulation (EU) 2018/848. Complies with the UNE 142500 standard.