


LUQSAMAN-6



COMPOSITION

6% w/w Water-soluble Manganese (Mn).

3% w/w Manganese (Mn) chelated with EDTA.

3% w/w Manganese (Mn) chelated with HEEDTA.

The pH range within which good stability of the chelated fraction is guaranteed is: 4–9.

USES

LUQSAMAN-6 is a manganese deficiency corrector that can be used on all types of crops (particularly fruit trees and citrus trees).

DOSAGE AND METHOD OF USE

Leaf application: Apply at a rate of 150–200 cm³/hL. Depending on the severity of the deficiency, 2 to 3 spray applications are generally required, spaced approximately 20 days apart.

Direct-to-soil application: Spray the product directly onto the soil, then water the area to help it reach the roots, using the following doses:

In nurseries, 20–30 cm³ per plant.

For young trees, 30–75 cm³ per tree.

In severely chlorotic mature trees, 75–125 cm³ per tree.

Application by fertigation: Apply at a rate of 0.01%–0.1% for a total amount of approximately 4–8 litres per hectare, depending on the severity of the deficiency and the type of crop. For cereals, apply at a rate of 1–2 L/ha; for lawns and golf courses, apply at a rate of 1 L/ha.

PRECAUTIONS FOR USE

It is compatible with most fertilisers and plant protection products.

Avoid applying the product during periods of high temperatures and ensure that all foliage is thoroughly wetted.

For further information, please contact our Agricultural Technical Department.

HAZARD CLASSIFICATION

